

<b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b>	Application No.	10/796,298
	Filing Date	March 9, 2004
	First Named Inventor	Masato Mitsuhashi
	Art Unit	1634
(Multiple sheets used when necessary)	Examiner	Frank Wei Min Lu
SHEET 1 OF 1	Attorney Docket No.	HITACHI.055CP2

### U.S. PATENT DOCUMENTS

Examiner Initials	Cite No.	Document Number Number - Kind Code (if known) Example: 1,234,567 B1	Publication Date MM-DD-YYYY	Name of Patentee or Applicant	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear
	1	5,175,109	12-29-1992	Sakata, <i>et al.</i>	
	2	6,268,121	07-31-2001	Takeshita, <i>et al.</i>	
	3	6,511,830	01-28-2003	Takahashi, <i>et al.</i>	
	4	6,617,170	09-09-2003	Augello, <i>et al.</i>	
	5	2003/0170669	09-11-2003	Garvin	

### FOREIGN PATENT DOCUMENTS

Examiner Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code Example: JP 1234567 A1	Publication Date MM-DD-YYYY	Name of Patentee or Applicant	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear	T <sup>1</sup>
	6	EP 1138780 A1	10/04/2001	Roche Diagnostics GmbH		

### NON PATENT LITERATURE DOCUMENTS

Examiner Initials	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T <sup>1</sup>
	7	RAINERI I., <i>et al.</i> "Improved efficiency for single-sided PCR by creating a reusable pool of first-strand cDNA coupled to a solid phase," <i>Nucleic Acids Research</i> , Vol. 19, No. 14, 1991, p. 4010.	
	8	TOMINAGA K., <i>et al.</i> "Colorimetric ELISA measurement of specific mRNA on immobilized-oligonucleotide-coated microtiter plates by reverse transcription with biotinylated mononucleotides," <i>Clinical Chemistry</i> , Vol. 42, No. 11, 1996, pp. 1750-1757.	
	9	VLEMS F.A., <i>et al.</i> "Reliability of quantitative reverse-transcriptase-PCR-based detection of tumour cells in the blood between different laboratories using a standardised protocol," <i>European Journal of Cancer</i> , Vol. 39, No. 3, 2003, pp. 388-396.	
	10	Qiagen, RNeasy MinElute Cleanup Handbook, 2003, pp. 1-30.	

6482371  
011409

Examiner Signature	Date Considered
<b>*Examiner:</b> Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

T<sup>1</sup> - Place a check mark in this area when an English language Translation is attached.